

PD-E 300 AP2

DNA 4142T

AD A050115

DYNAMICAL SOLUTION OF THE SGEMP ELECTRON BOUNDARY LAYER FOR LINEARLY RISING AND CONSTANT X-RAY TIME HISTORIES

Mission Research Corporation
735 State Street
Santa Barbara, California 93101

12
SC

December 1976

Topical Report for Period October 1976–December 1976

CONTRACT No. DNA 001-77-C-0009

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

THIS WORK SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMSS CODE B323077464 R99QAXEE50210 H2590D.

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, D. C. 20305

DDC
RECEIVED
FEB 17 1978
B

ADJ NU.
DDC FILE COPY

(18) DNA, SBIE / (19) 4142T, AD-E300 082 /
UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DNA 4142T✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
6. TITLE (and Subtitle) DYNAMICAL SOLUTION OF THE SGEMP ELECTRON BOUNDARY LAYER FOR LINEARLY RISING AND CONSTANT X-RAY TIME HISTORIES.		9. TYPE OF REPORT & PERIOD COVERED Topical Report. [redacted] Oct [redacted] - Dec [redacted] 1976
7. AUTHOR(s) 14. N. J. Carron		14. MRC-R-3001
9. PERFORMING ORGANIZATION NAME AND ADDRESS Mission Research Corporation✓ 735 State Street Santa Barbara, California 93101		15. CONTRACT OR GRANT NUMBER(s) DNA 001-77-C-0009✓
11. CONTROLLING OFFICE NAME AND ADDRESS Director Defense Nuclear Agency✓ Washington, D.C. 20305		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Subtask R99QAXEE502-10 16. 17. E502
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		11. Dec [redacted] 76 56 12. 52 p.
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. SECURITY CLASS (of this report) UNCLASSIFIED
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
18. SUPPLEMENTARY NOTES This work sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B32307464 R99QAXEE50210 H2590D.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) SGEMP Boundary Layer Electron Boundary Layer Photoelectron Emission X-ray Photoemission		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The time dependent solution is presented for the dynamical behavior of the one dimensional electron boundary layer formed when X-rays knock photoelec- trons out of a material surface. The X-ray flux is taken to be either lin- early rising in time or constant in time. Two electron energy spectra are considered—exponential and linear-times-exponential. The electrons are assumed to have a cos ² emission distribution. The electric field, potential, charge density, and current density are given		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

406 548 Yur

20. ABSTRACT (Continued)

as functions of distance from the surface and time. The layer's dipole moment per unit area and its first and second time derivatives are given as a function of time.

The current density may be useful as a prescribed current for Maxwell solving codes. The dipole moment and its derivatives may be useful for estimating quasi-static and radiated dipole fields.



CONTENTS

	PAGE
SECTION 1 - INTRODUCTION	3
SECTION 2 - COMPUTATION METHOD	5
SECTION 3 - LINEARLY RISING PULSE, EXPONENTIAL SPECTRUM	9
SECTION 4 - LINEARLY RISING PULSE, LINEAR-TIMES-EXPONENTIAL ENERGY SPECTRUM	20
SECTION 5 - CONSTANT PULSE, EXPONENTIAL SPECTRUM	30
SECTION 6 - CONSTANT PULSE, LINEAR-TIMES-EXPONENTIAL ENERGY SPECTRUM	41

ACCESSION for		
NTIS	Write Section	<input checked="" type="checkbox"/>
DDC	Both Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION _____		
BY _____		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL	and/or SPECIAL
A		

SECTION 1 INTRODUCTION

This report presents scaled numerical solutions for the one dimensional time-dependent SGEMP electron emission boundary layer problem in the two cases in which the incident X-ray flux is either linearly rising in time (a linear ramp) or is constant in time starting at $t=0$ (a step function). Two electron energy spectra are considered in each case, an exponential spectrum, and a linear-times-exponential spectrum. The electrons are assumed to be emitted with a $\cos\theta$ angular distribution. The scaled solutions given here provide the solutions to real problems with these energy spectra for arbitrary X-ray flux rise rates (for the linear ramp) or arbitrary fluxes (for the step function).

Most X-ray pulses start off rising linearly in time. In many cases, especially at high fluences or long rise times, much of the interesting boundary layer dynamics is taking place while the pulse is still linearly rising. Since a single solution suffices for all rise rates during this portion of the pulse, it is worthwhile to present this solution.

In addition, if the pulse rise time is very short compared to an electron turnaround time and compared to the subsequent time over which the remainder of the pulse varies significantly, then the boundary layer will behave approximately as if the X-ray pulse were a step function. We also present the solution for this case.

The scaled equations controlling the boundary layer were presented in Reference 1. There it was shown that if the X-ray pulse rises in time

¹ Longmire, C. L., and N. J. Carron, Scaling of the Time-Dependent SGEMP Boundary Layer, Mission Research Corporation, MRC-R-262, DNA 3975T, April 1976 (U).

like a power of time

$$F = R_p t^p \quad (1)$$

where

$$0 \leq p < \infty, \quad (2)$$

F is the incident flux ($\text{cal/cm}^2/\text{sec}$), and R_p a constant, then the solution scales completely. For a given electron energy spectrum and given p , a single solution suffices for all R_p . The solutions given here correspond to $p = 1$ (R_1 is the flux rise rate) and $p=0$ (R_0 is the constant flux).

The solution is a one-dimensional one and should be meaningful out to distances small compared to the lateral dimensions of the target.

We give plots of electric field, potential, number density, and current density as a function of position and time. These are presented both as a function of x (distance from the target surface) for various times, and as a function of time for various x . In addition the dipole moment per unit area of the layer, and its first and second time derivatives are given as a function of time. The spatial integral of the current density is the same as the time derivative of the dipole moment.

The current densities given here may be useful as prescribed currents in Maxwell solving codes. The second time derivative of the dipole moment may be useful for estimating dipole radiation. The dipole moment may be useful for estimating distant quasi-static dipole fields.

SECTION 2

COMPUTATION METHOD

The numerical solutions were obtained with the one dimensional particle moving code SCAL1D.² Time and length scales are determined by the naturally occurring electron plasma properties. Times are measured as multiples of an effective plasma period T_p given by

$$T_p = \sqrt{\frac{m}{4\pi e^2 N_1}} \quad (3)$$

where $m(e)$ is the electron mass (charge) and N_1 is an average surface number density, and lengths are measured as multiples of an effective plasma Debye length

$$\lambda = \bar{v} T_p \quad (4)$$

where \bar{v} is the average normal velocity of the emitted electrons. These times and lengths are scaled out before beginning computation, so computed times and lengths are on the order of unity. Similarly the dependent dynamical variables have a natural magnitude which is factored out.

If the pulse is linearly rising, N_1 in Equation (3) is itself time dependent, so that Equation (3) as it stands does not define a time unit. In the general case, Reference 1 shows that a plasma period can be taken to be

² Carron, N. J., Description of the Code SCAL1D for Calculating the One-Dimensional SGEMP Boundary Layer, Mission Research Corporation, MRC-R-267, May 1976 (U).

$$T_p = \left[\frac{m \bar{v}}{4\pi e^2 Y R_p} \right]^{\frac{1}{2+p}} \quad (5)$$

where Y is the material yield (elec/cal).

We assume the emitted electrons have a $\cos\theta$ angular distribution, where θ is the polar angle measured from the normal. The shapes of the two energy spectra we consider are shown in Figure 1. If the electron energy spectrum is exponential

$$\frac{dn}{dE} \sim \frac{1}{\bar{E}} e^{-E/\bar{E}} \quad (\text{elec/keV}) \quad (6)$$

where E is the electron energy and \bar{E} is the exponentiation energy, then the average normal velocity is

$$\bar{v} = \sqrt{\frac{2\pi \bar{E}}{9m}} \quad (7)$$

If the spectrum is linear-times-exponential

$$\frac{dn}{dE} \sim \frac{E}{\bar{E}^2} e^{-E/\bar{E}} \quad (\text{elec/keV}) \quad (8)$$

then

$$\bar{v} = \sqrt{\frac{\pi \bar{E}}{2m}} \quad (9)$$

In the code we have chosen a very small time step, $\leq 0.02 T_p$. At all interesting times there were several thousand particles in the first few Debye lengths. The particles were given a finite length of 0.2 Debye length for the purpose of computing the charge density and current density.




Figure 1. Exponential, and linear-times-exponential energy spectra.

These quantities were further averaged over three spatial cells with a simple weighting scheme. The cell size was ~ 0.1 Debye length, and there were always several hundred particles in each cell.

The current density $J(x,t)$ was computed as the sum of particle weights times their velocities, rather than as $\partial E/\partial t$ where E is the electric field. At later times when J is small and due to approximately equal numbers of particles with positive and negative velocities, irregularities and oscillations occurred whose precise value was dependent on the time step, emission particle weighting scheme, etc. In the plots presented here we show an average smooth dashed line through these unreliable values. The plots of current density vs. time at various x were sometimes constructed from $\partial E/\partial t$ when this method was more reliable.

SECTION 3 LINEARLY RISING PULSE, EXPONENTIAL SPECTRUM

In this section we present results for a linearly rising time history ($p=1$) and for the exponential energy spectrum, Equation (6).

In the following equations we give dimensional units for the dynamical variables. When numbers are given in the equations, we use these units for \bar{E} , Y , and R_1 :

Electron exponentiation energy	\bar{E} (keV)
Yield	Y (elec/cal)
X-ray rise rate	R_1 (cal/cm ² /sec ²)

Equations (5) and (7) show the time unit to be

$$T_p = \left[\frac{\sqrt{m} \bar{E}}{6\sqrt{2\pi} e^2 Y R_1} \right]^{1/3}$$

$$= 0.7035 \left[\frac{\sqrt{\bar{E}}}{Y R_1} \right]^{1/3} \text{ sec} \quad (10)$$

and the unit of length, Equation (4), is

$$\lambda = 7.796 \times 10^8 \left[\frac{\bar{E}^2}{Y R_1} \right]^{1/3} \text{ cm} \quad (11)$$

The units of electric field (E_1) and potential (Φ_1) are taken to be

$$\begin{aligned}
E_1 &= \frac{m \bar{v}}{e T_p} \\
&= 8.955 \times 10^{-5} [\bar{E} Y R_1]^{1/3} \text{ Volts/m} , \quad (12)
\end{aligned}$$

$$\begin{aligned}
\phi_1 &= \lambda E_1 = \frac{2\pi}{9} \bar{E} \\
&= 698 \bar{E} \text{ Volts} \quad (13)
\end{aligned}$$

The units of number density (N_1) and current density (J_1) are

$$N_1 = \frac{Y R_1 T_p}{\bar{v}} = 6.349 \times 10^{-10} \left[\frac{Y^2 R_1^2}{\bar{E}} \right]^{1/3} \text{ cm}^{-3} , \quad (14)$$

$$J_1 = e N_1 \bar{v} = 1.126 \times 10^{-15} [\sqrt{\bar{E}} Y^2 R_1^2]^{1/3} \text{ Amps/m}^2 . \quad (15)$$

The units of dipole moment per unit area (P_1) and its time derivative (\dot{P}_1) are

$$\begin{aligned}
P_1 &= e \lambda^2 N_1 = \frac{\bar{E}}{18e} \\
&= 6.181 \times 10^{-9} \bar{E} \text{ Coul/m} , \quad (16)
\end{aligned}$$

$$\dot{P}_1 = \frac{P_1}{T_p} = 8.786 \times 10^{-9} [\bar{E}^{5/2} Y R_1]^{1/3} \text{ Amps/m} . \quad (17)$$

Finally, the second time derivative of the dipole moment per unit area has unit

$$\ddot{P}_1 = \frac{P_1}{T_p^2} = 1.249 \times 10^{-8} [\bar{E} Y R_1]^{2/3} \text{ Amps/m/sec} \quad (18)$$

For example, if $\bar{E} = 5$ keV, the material yield is $Y = 5 \times 10^{12}$ elec/cal, and the flux is rising at a rate $R_1 = 10^{13}$ cal/cm²/sec², then

$$T_p = 2.50 \text{ ns}$$

$$\lambda = 6.19 \text{ cm}$$

$$E_1 = 5.64 \times 10^4 \text{ V/m}$$

$$\phi_1 = 3.49 \text{ kV}$$

$$N_1 = 5.04 \times 10^7 \text{ cm}^{-3}$$

$$J_1 = 2.00 \times 10^2 \text{ Amps/m}^2$$

$$P_1 = 3.09 \times 10^{-8} \text{ Coul/m}$$

$$\dot{P}_1 = 12.38 \text{ Amps/m}$$

$$\ddot{P}_1 = 4.96 \times 10^9 \text{ Amps/m/sec}$$

Figures 2 through 9 show the electric field, potential, number density, and current density as a function of distance from the surface and time, scaled to λ and T_p ; and Figures 10 through 12 show the layer's dipole moment per unit area and its first two time derivatives. The units are those of Equations (10) through (18).





Figure 2. Electric field vs. x at various times.




Figure 3. Potential vs. x at various times.




Figure 4. Number density vs. x at various times.





Figure 5. Current density vs. x at various times




Figure 6. Electric field vs. time at various x .




Figure 7. Potential vs. time at various x .




Figure 8. Number density vs. time at various x .




Figure 9. Current density vs. time at various x .




Figure 10. Dipole moment per unit area vs. time.




Figure 11. Time derivative of dipole moment vs. time.




Figure 12. Second time derivative of dipole moment vs. time.

SECTION 4 LINEARLY RISING PULSE, LINEAR-TIMES- EXPONENTIAL ENERGY SPECTRUM

This section presents results for a linearly rising time history ($p=1$) and for the linear-times-exponential energy spectrum, Equation (8). \bar{E} , Y , and R_1 are in the same units as in the previous section (keV, cal^{-1} , $\text{cal}/\text{cm}^2/\text{sec}^2$).

Equations (5) and (9) show the time unit to be

$$\begin{aligned} T_p &= \left[\frac{1}{4\sqrt{2\pi} e^2} \frac{\sqrt{m \bar{E}}}{Y R_1} \right]^{1/3} \\ &= 0.8053 \left[\frac{\sqrt{\bar{E}}}{Y R_1} \right]^{1/3} \text{ sec} . \end{aligned} \quad (19)$$

and the unit of length is

$$\begin{aligned} \lambda &= \bar{v} T_p = \left[\frac{\pi}{16 e^2 m} \frac{\bar{E}^2}{Y R_1} \right]^{1/3} \\ &= 1.339 \times 10^9 \left[\frac{\bar{E}^2}{Y R_1} \right]^{1/3} \text{ cm} . \end{aligned} \quad (20)$$

The units of electric field (E_1) and potential (ϕ_1) are

$$\begin{aligned} E_1 &= \frac{m \bar{v}}{e T_p} = \left[2\pi^2 \frac{m}{e} \bar{E} Y R_1 \right]^{1/3} \\ &= 1.173 \times 10^{-4} \left[\bar{E} Y R_1 \right]^{1/3} \text{ Volts/m} , \end{aligned} \quad (21)$$

$$\begin{aligned}\phi_1 &= \lambda E_1 = \frac{\pi \bar{E}}{2 e} \\ &= 1.571 \times 10^3 \bar{E} \text{ Volts} .\end{aligned}\quad (22)$$

The units of number density (N_1) and current density (J_1) are

$$\begin{aligned}N_1 &= \frac{\gamma R_1 T_p}{\bar{V}} \\ &= 4.845 \times 10^{-10} \left[\frac{\gamma^2 R_1^2}{\bar{E}} \right]^{1/3} \text{ cm}^{-3} ,\end{aligned}\quad (23)$$

$$\begin{aligned}J_1 &= e N_1 \bar{V} \\ &= 1.290 \times 10^{-15} \left[\sqrt{\bar{E}} \gamma^2 R_1^2 \right]^{1/3} \text{ Amps/m}^2\end{aligned}\quad (24)$$

The units of dipole moment per unit area (P_1) and its time derivative (\dot{P}_1) are

$$\begin{aligned}P_1 &= e \lambda^2 N_1 = \frac{\bar{E}}{8e} \\ &= 1.391 \times 10^{-8} \bar{E} \text{ Coul/m} ,\end{aligned}\quad (25)$$

$$\dot{P}_1 = \frac{P_1}{T_p} = 1.727 \times 10^{-8} \left[\bar{E}^{5/2} \gamma R_1 \right]^{1/3} \text{ Amps/m} \quad (26)$$

The units of second time derivative of the dipole moment per unit area is

$$\ddot{P}_1 = \frac{\dot{P}_1}{T_p} = 2.144 \times 10^{-8} \left[\bar{E} \gamma R_1 \right]^{2/3} \text{ Amps/m/sec} . \quad (27)$$

Figures 13 through 23 show the dynamical solutions for the case of a linearly rising time history and a linear-times-exponential energy spectrum, using the units of Equations (19) through (27).





Figure 13. Electric field vs. x at various times.




Figure 14. Potential vs. x at various times.




Figure 15. Number density vs. x at various times.





Figure 16. Current density vs. x at various times.




Figure 17. Electric field vs. time at various x .




Figure 18. Potential vs. time at various x .




Figure 19. Number density vs. time at various x .




Figure 20. Current density vs. time at various x .




Figure 21. Dipole moment per unit area vs. time




Figure 22. Time derivative of dipole moment vs. time.




Figure 23. Second time derivative of dipole moment vs. time.

SECTION 5 CONSTANT PULSE, EXPONENTIAL SPECTRUM

In this section we present results for a constant X-ray pulse ($p=0$) and for the exponential energy spectrum, Equation (6).

We give here the dimensional units for the dynamical variables. When numbers are given we use these units for \bar{E} , Y , and R_o :

Electron exponentiation energy	\bar{E} (keV)
Yield	Y (elec/cal)
X-ray flux	R_o (cal/cm ² /sec) .

Equations (5) and (7) show the time unit to be

$$\begin{aligned}
 T_p &= \left[\frac{\sqrt{m} \bar{E}}{6 \sqrt{2\pi} e^2 Y R_o} \right]^{1/2} , \\
 &= 0.5901 \left[\frac{\sqrt{\bar{E}}}{Y R_o} \right]^{1/2} \text{ sec} , \quad (28)
 \end{aligned}$$

and the unit of length is

$$\begin{aligned}
 \lambda &= \frac{1}{3} \left[\frac{1}{3} \sqrt{\frac{\pi}{2m}} \frac{\bar{E}^{3/2}}{e^2 Y R_o} \right]^{1/2} \\
 &= 6.539 \times 10^8 \left[\frac{\bar{E}^{3/2}}{Y R_o} \right]^{1/2} \text{ cm} \quad (29)
 \end{aligned}$$

The units of electric field (E_1) and potential (ϕ_1) are

$$E_1 = \frac{m \bar{v}}{e T_p} = 1.068 \times 10^{-4} [\sqrt{E} Y R_o]^{1/2} \text{ V/m} , \quad (30)$$

$$\phi_1 = \lambda E_1 = \frac{2\pi}{9} \frac{\bar{E}}{e} = 698 \bar{E} \text{ Volts} . \quad (31)$$

The units of number density (N_1) and current density (J_1) are

$$N_1 = \frac{Y R_o}{\bar{v}} = 9.025 \times 10^{-10} \frac{Y R_o}{\sqrt{E}} \text{ cm}^{-3} , \quad (32)$$

$$J_1 = e N_1 \bar{v} = 1.602 \times 10^{-15} Y R_o \text{ Amps/m}^2 \quad (33)$$

The units of dipole moment per unit area (P_1) and its time derivative (\dot{P}_1) are

$$\begin{aligned} P_1 &= e \lambda^2 N_1 = \frac{\bar{E}}{18 e} \\ &= 6.181 \times 10^{-9} \bar{E} \text{ Coul/m} , \end{aligned} \quad (34)$$

$$\dot{P}_1 = \frac{P_1}{T_p} = 1.047 \times 10^{-8} [\bar{E}^{3/2} Y R_o]^{1/2} \text{ Amps/m} \quad (35)$$

The second time derivative of the dipole moment per unit area (\ddot{P}_1) has unit

$$\ddot{P}_1 = \frac{\dot{P}_1}{T_p} = 1.775 \times 10^{-8} \sqrt{\bar{E}} Y R_o \text{ Amps/m/sec} \quad (36)$$

For example if $\bar{E} = 5 \text{ keV}$, $\gamma = 10^{13} \text{ elec/cal}$, and the flux is $R_0 = 10^5 \text{ cal/cm}^2/\text{sec}$, then

$$T_p = 0.88 \text{ ns}$$

$$\lambda = 2.19 \text{ cm}$$

$$E_1 = 1.60 \times 10^5 \text{ V/m}$$

$$\phi_1 = 3.49 \text{ kV}$$

$$N_1 = 4.04 \times 10^8 \text{ cm}^{-3}$$

$$J_1 = 1.60 \times 10^3 \text{ Amps/m}^2$$

$$P_1 = 3.09 \times 10^{-8} \text{ Coul/m}$$

$$\dot{P}_1 = 35.01 \text{ Amps/m}$$

$$\ddot{P}_1 = 3.97 \times 10^{10} \text{ Amps/m/sec} .$$

Figures 24 through 34 give the dynamical solutions for the case of a constant X-ray pulse starting at $t=0$ and an exponential electron energy spectrum. The units are those of Equations (28) through (36).





Figure 24. Electric field vs. x at various times.




Figure 25. Potential vs. x at various times.




Figure 26. Number density vs. x at various times.





Figure 27. Current density vs. x at various times.




Figure 28. Electric field vs. time at various x .




Figure 29. Potential vs. time at various x .




Figure 30. Number density vs. time at various x .




Figure 31. Current density vs. time at various x .




Figure 32. Dipole moment per unit area vs. time.




Figure 33. Time derivative of dipole moment vs. time.




Figure 34. Second time derivative of dipole moment vs. time.

SECTION 6 CONSTANT PULSE, LINEAR-TIMES-EXPONENTIAL ENERGY SPECTRUM

Here we present results for the constant pulse ($p=0$) and linear-times-exponential energy spectrum, Equation (8). \bar{E} , Y , and R_o are in the same units as the previous section (keV , cal^{-1} , $\text{cal}/\text{cm}^2/\text{sec}$).

Equations (5) and (9) show the time unit is

$$\begin{aligned} T_p &= \left[\frac{m \bar{v}}{4\pi e^2 Y R_o} \right]^{1/2} \\ &= 0.7227 \left[\frac{\sqrt{\bar{E}}}{Y R_o} \right]^{1/2} \text{ sec} , \end{aligned} \quad (37)$$

and the unit of length is

$$\lambda = \bar{v} T_p = 1.201 \times 10^9 \left[\frac{\bar{E}^{3/2}}{Y R_o} \right]^{1/2} \text{ cm} . \quad (38)$$

The units of electric field (E_1) and potential (ϕ_1) are

$$E_1 = \frac{m \bar{v}}{e T_p} = 1.308 \times 10^{-4} \left[\sqrt{\bar{E}} Y R_o \right]^{1/2} \text{ V/m} , \quad (39)$$

$$\begin{aligned} \phi_1 &= \lambda E_1 = \frac{\pi \bar{E}}{2 e} \\ &= 1.571 \times 10^3 \bar{E} \text{ Volts} . \end{aligned} \quad (40)$$

The units of number density (N_1) and current density (J_1) are

$$N_1 = \frac{Y R_o}{\bar{V}} = 6.016 \times 10^{-10} \frac{Y R_o}{\sqrt{\bar{E}}} \text{ cm}^{-3}, \quad (41)$$

$$J_1 = e N_1 \bar{V} = 1.602 \times 10^{-15} Y R_o \text{ Amps/m}^2. \quad (42)$$

The units of dipole moment per unit area (P_1) and its time derivative (\dot{P}_1) are

$$\begin{aligned} P_1 &= e \lambda^2 N_1 = \frac{\bar{E}}{8e} \\ &= 1.391 \times 10^{-8} \bar{E} \text{ Coul/m}, \end{aligned} \quad (43)$$

$$\dot{P}_1 = \frac{P_1}{T_p} = 1.924 \times 10^{-8} [\bar{E}^{3/2} Y R_o]^{1/2} \text{ Amps/m}. \quad (44)$$

Finally, the unit of the second time derivative of the dipole moment per unit area is

$$\ddot{P}_1 = \frac{\dot{P}_1}{T_p} = 2.663 \times 10^{-8} \sqrt{\bar{E}} Y R_o \text{ Amps/m/sec}. \quad (45)$$

Figures 35 through 45 give the dynamical solutions for the case of a constant X-ray pulse starting at $t=0$ and a linear-times-exponential energy spectrum. The units are those of Equations (37) through (45).





Figure 35. Electric field vs. x at various times.




Figure 36. Potential vs. x at various times.




Figure 37. Number density vs. x at various times.





Figure 38. Current density vs. x at various times.




Figure 39. Electric field vs. time at various x .




Figure 40. Potential vs. time at various x .




Figure 41. Number density vs. time at various x .




Figure 42. Current density vs. time at various x .




Figure 43. Dipole moment per unit area vs. time.




Figure 44. Time derivative of dipole moment vs. time.




Figure 45. Second time derivative of dipole moment vs. time.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Director
Defense Advanced Rsch. Proj. Agency
ATTN: NMR

Director
Defense Communications Agency
ATTN: NMR

Defense Documentation Center
Cameron Station
12 cy ATTN: TC

Director
Defense Intelligence Agency
ATTN: DB-4C

Director
Defense Nuclear Agency
ATTN: TISI, Archives
ATTN: DDST
2 cy ATTN: RAEV
3 cy ATTN: TITL, Tech. Library

Commander
Field Command
Defense Nuclear Agency
ATTN: FCLMC
ATTN: FCPR

Director
Interservice Nuclear Weapons School
ATTN: Document Control

Director
Joint Strat. Tgt. Planning Staff, JCS
ATTN: JLTW-2

Chief
Livermore Division Fld. Command, DNA
ATTN: FCPRL

National Communications System
Office of the Manager
ATTN: NCS-TS

Director
National Security Agency
ATTN: R-425

OJCS/J-3
ATTN: J-3 RDTA Br., WWMCCS Plans Div.

OJCS/J-5
ATTN: J-5 Plans & Policy Nuc. Div.

Under Secretary of Def. for Rsch. & Engrg.
ATTN: S&SS (OS)

DEPARTMENT OF THE ARMY

Director
BMD Advanced Tech. Ctr.
ATTN: RDMH-O

DEPARTMENT OF THE ARMY (Continued)

Commander
BMD System Command
ATTN: BDMSC-TEN

Dep. Chief of Staff for Rsch. Dev. & Acq.
ATTN: DAMA-CSM-N

Commander
Harry Diamond Laboratories
ATTN: DRXDO-TI, Tech. Library
ATTN: DRXDO-RCC, Raine Gilbert
ATTN: DRXDO-RCC, John A. Rosado
ATTN: DRXDO-NP

Commander
Picatinny Arsenal
ATTN: SMUPA
ATTN: SARPA

Commander
Redstone Scientific Information Ctr.
U.S. Army Missile Command
ATTN: Chief, Documents

Chief
U.S. Army Communications Sys. Agency
ATTN: SCCN-AD-SV, Library

Commander
U.S. Army Electronics Command
ATTN: DRSEL

Commander
U.S. Army Foreign Science & Tech. Ctr.
ATTN: DRXST-ISI

DEPARTMENT OF THE NAVY

Chief of Naval Operations
ATTN: Code 604C3

Chief of Naval Research
ATTN: Henry Mullaney, Code 427

Director
Naval Research Laboratory
ATTN: Code 7701
ATTN: Code 5410, John Davis

Officer-In-Charge
Naval Surface Weapons Center
ATTN: Code WA501, Navy Nuc. Prgms. Off.

Director
Strategic Systems Project Office
ATTN: NSP

DEPARTMENT OF THE AIR FORCE

AF Geophysics Laboratory, AFSC
ATTN: Charles Pike

DEPARTMENT OF THE AIR FORCE (Continued)

AF Materials Laboratory, AFSC
ATTN: Library

AF Weapons Laboratory, AFSC
ATTN: SUL
2 cy ATTN: NTS
2 cy ATTN: DYC

Headquarters, USAF/RD
ATTN: RDQSM

Commander
Rome Air Development Center, AFSC
ATTN: Edward A. Burke

SAMSO/DY
ATTN: DYS

SAMSO/MN
ATTN: MNNH
ATTN: MNNG

SAMSO/SK
ATTN: SKF

SAMSO/XR
ATTN: XRS

Commander in Chief
Strategic Air Command
ATTN: XPFS
ATTN: NRI-STINFO, Library

DEPARTMENT OF ENERGY

University of California
Lawrence Livermore Laboratory
ATTN: Tech. Info. Dept., L-3

Los Alamos Scientific Laboratory
ATTN: Doc. Control for Reports Library

Sandia Laboratories
Livermore Laboratory
ATTN: Doc. Control for Theodore A. Dellin

Sandia Laboratories
ATTN: Doc. Control for 3141, Sandia Rpt. Coll.

OTHER GOVERNMENT AGENCY

NASA
Lewis Research Center
ATTN: N. J. Stevens
ATTN: Library
ATTN: Carolyn Purvis

DEPARTMENT OF DEFENSE CONTRACTORS

Aerospace Corporation
ATTN: Frank Hai
ATTN: Julian Reinheimer
ATTN: V. Josephson
ATTN: Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

AVCO Research & Systems Group
ATTN: Research Lib., A830, Rm. 7201

The Boeing Company
ATTN: Preston Geren

University of California at San Diego
ATTN: Sherman De Forest

Computer Sciences Corporation
ATTN: Alvin T. Schiff

Dr. Eugene P. DePlomb
ATTN: Eugene P. DePlomb

Dikewood Industries, Inc.
ATTN: Tech. Library
ATTN: K. Lee

EG&G, Inc.
Albuquerque Division
ATTN: Technical Library

Ford Aerospace & Communications Corp.
ATTN: Donald R. McMorro, MS 030
ATTN: Library

General Electric Company
Space Division
Valley Forge Space Center
ATTN: Joseph C. Peden, VFSC, Rm 4230M

General Electric Company
TEMPO-Center for Advanced Studies
ATTN: William McNamara
ATTN: DASAC

Hughes Aircraft Company
ATTN: Tech. Library

Hughes Aircraft Company, El Segundo Site
ATTN: Edward C. Smith, MS A620
ATTN: William W. Scott, MS A1080

Institute for Defense Analyses
ATTN: IDA, Librarian

IRT Corporation
ATTN: Dennis Swift
ATTN: Technical Library

JAYCOR
ATTN: Library
ATTN: Eric P. Wenaas

JAYCOR
ATTN: Robert Sullivan

Johns Hopkins University
Applied Physics Laboratory
ATTN: Peter E. Partridge

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Kaman Sciences Corporation
ATTN: W. Foster Rich
ATTN: Jerry I. Lubell
ATTN: Library

Lockheed Missiles & Space Co., Inc.
ATTN: Dept. 85-85

McDonnell Douglas Corporation
ATTN: Stanley Schneider

Mission Research Corporation
ATTN: Conrad L. Longmire
ATTN: Roger Stettner
ATTN: N. J. Carron
5 cy ATTN: Tech. Library

Mission Research Corporation-San Diego
ATTN: Library
ATTN: Victor A. J. Van Lint

Rockwell International Corporation
ATTN: Technical Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

R & D Associates
ATTN: Technical Library
ATTN: Leonard Schlessinger

Science Applications, Incorporated
ATTN: William L. Chadsey

Spire Corporation
ATTN: Roger G. Little

SRI International
ATTN: Library

Systems, Science and Software, Inc.
ATTN: Technical Library
ATTN: Andrew R. Wilson

TRW Defense & Space Sys. Group
ATTN: Tech. Info. Center/S-1930
2 cy ATTN: Robert M. Webb, R1-2410